

CEILING&WALL SYSTEMS

Between us, ideas become reality®


Effects on Metal

Effects on Metal

Key attributes:

- Suitable for prestigious high end projects
- 7 metal effects available: Ash, Oak, Red Oak, US Cherry, US Walnut, Bronze and Chrome
- 3 systems available: Q-Clip F, S-Clip F & Axal Vector
- Perforated or unperforated
- Configurable solutions available on request
- For any other effects, please contact us

Bronze Effect




Chrome Effect




Wood Effect




Ash




Oak



Red Oak



US Cherry




US Walnut

Meydan Centre, Dubai (UAE)


Effects on Metal - Range

Q-Clip F




3 mm bevel

S-Clip F




3 mm bevel

Axal Vector




6 mm reveal

Q-Clip F




3 mm bevel

S-Clip F



3 mm bevel

Axal Vector



6 mm reveal

Plain

| | | | |
|-----------|-----------|------------|------------|
| Ash | 600 x 600 | 2056 M ASH | 9418 M ASH |
| Oak | 600 x 600 | 2056 M OAK | 9418 M OAK |
| Red Oak | 600 x 600 | 2056 M ROA | 9418 M ROA |
| US Cherry | 600 x 600 | 2056 M CHE | 9418 M CHE |
| US Walnut | 600 x 600 | 2056 M WAL | 9418 M WAL |
| Bronze | 600 x 600 | 2056 M BZ | 9418 M BZ |
| Chrome | 600 x 600 | 2056 M AM | 9418 M AM |


| | | |
|-----------|------------|------------|
| Ash | 300 x 1200 | 3707 M ASH |
| Oak | 300 x 1200 | 3707 M OAK |
| Red Oak | 300 x 1200 | 3707 M ROA |
| US Cherry | 300 x 1200 | 3707 M CHE |
| US Walnut | 300 x 1200 | 3707 M WAL |
| Bronze | 300 x 1200 | 3707 M BZ |
| Chrome | 300 x 1200 | 3707 M AM |

Rg 0701

| | | | |
|-----------|-----------|-------------|-------------|
| Ash | 600 x 600 | 2083 MF ASH | 2118 MF ASH |
| Oak | 600 x 600 | 2083 MF OAK | 2118 MF OAK |
| Red Oak | 600 x 600 | 2083 MF ROA | 2118 MF ROA |
| US Cherry | 600 x 600 | 2083 MF CHE | 2118 MF CHE |
| US Walnut | 600 x 600 | 2083 MF WAL | 2118 MF WAL |
| Bronze | 600 x 600 | 2083 MF BZ | 2118 MF BZ |
| Chrome | 600 x 600 | 2083 MF AM | 2118 MF AM |

| | | |
|-----------|------------|-------------|
| Ash | 300 x 1200 | 3716 MF ASH |
| Oak | 300 x 1200 | 3716 MF OAK |
| Red Oak | 300 x 1200 | 3716 MF ROA |
| US Cherry | 300 x 1200 | 3716 MF CHE |
| US Walnut | 300 x 1200 | 3716 MF WAL |
| Bronze | 300 x 1200 | 3716 MF BZ |
| Chrome | 300 x 1200 | 3716 MF AM |

| | Sustainability | Acoustics | | | | | Safe & Healthy | | | | |
|--|-----------------------------------|------------------|------------------------|-----------|------------------------|---------------|----------------|-------------------------------|-------------------------------------|-----------------------|--------------------|
| | ISO 14021 Recycled content (%) | α_w up to | Sound absorption class | NRC up to | Dncw / Dnfw (dB) up to | Rw (dB) up to | Fire reaction | Humidity Resistance (%) up to | Cleanability | Bioguard paint option | Scratch resistance |
| Plain / Unperforated ⁽¹⁾ | up to 30 | 0.10(L) | Not Classified | 0.10 | 44 | 19 | A2-s1, d0 | 95 | scrubbable | ✓ | ✓ |
| Extra Microperforated Rg 0701 ⁽²⁾ | up to 30 | 0.55(L) | D | 0.65 | 21 | 10 | A2-s1, d0 | 95 | wipeable moist cloth ⁽³⁾ | ✓ | ✓ |



95 % RH



15YEAR guarantee



30YEAR system guarantee



5 kg/m² – Steel tile

(1) RAL 9010 colour, without acoustic inlay. (2) RAL 9010 colour, with black acoustic fleece glued on rear. (3) Wipeable moist cloth for perforated tiles with fleece. Scrubbable for plain tiles or perforated tiles without fleece.

PAS1302 - 03/2014 - Armstrong Building Products - R.C.S. Besançon B 784 131 575

Advisory note

All photographic and design elements supplied in this brochure do not necessarily reflect any recommendation by any of the companies named in this brochure as to the proper use or recommended methods of installation of suspended ceilings and are supplied only as informative material. For technical reasons in printing, differences may appear between colours printed in this brochure and the actual product. The choice of colours should always be made from a sample of the product. All statements and technical information contained in this brochure, or any publication of the companies named in this brochure, relating to Armstrong ceilings are based on results obtained under laboratory test conditions. **It is the responsibility of the user to verify with the seller of the products in writing that such statements and information are appropriate to the specific use intended.** Sales of the products and liability of the selling companies are in accordance with the terms and conditions of sale of the selling company. All product specifications are subject to modifications without prior notice.